



**ELECTRONIC COPY**

## DIAMOND REPORT

April 11, 2025	
IGI Report Number	648418499
Description	NATURAL DIAMOND
Shape and Cutting Style	ROUND BRILLIANT
Measurements	7.69 - 7.76 X 4.83 MM

## GRADING RESULTS


Carat Weight	1.80 CARAT
Color Grade	J
Clarity Grade	VVS 1
Cut Grade	EXCELLENT

### ADDITIONAL GRADING INFORMATION


Polish	EXCELLENT
Symmetry	EXCELLENT
Fluorescence	NONE
Inscription(s)	151 648418499

648418499  
Report verification at [igi.org](https://igi.org)

## PROPORTIONS




## CLARITY CHARACTERISTICS



## KEY TO SYMBOLS

Red symbols indicate internal characteristics.  
Green symbols indicate external characteristics.



Sample Image Used

**COLOR**

D - F	G - J	K - M	N - R	S - Z	FANCY
Colorless	Near Colorless	Slightly Tinted	Very Light Color	Light Color	

## CLARITY


IF	VVS <sup>1-2</sup>	VS <sup>1-2</sup>	SI <sup>1-2</sup>	I <sup>1-3</sup>
Internally Flawless	Very Very Slightly Included	Very Slightly Included	Slightly Included	Included



April 11, 2025	
IGI Report Number	648418499
Description	NATURAL DIAMOND
Shape and Cutting Style	ROUND BRILLIANT
Measurements	7.69 - 7.76 X 4.83 MM

## GRADING RESULTS

Carat Weight	1.80 CARAT
Color Grade	J
Clarity Grade	VVS 1
Cut Grade	EXCELLENT



### ADDITIONAL GRADING INFORMATION

Polish	EXCELLENT
Symmetry	EXCELLENT
Fluorescence	NONE
Inscription(s)	151 648418499



© IGI 2020, International Gemological Institute

FD - 10 20



THIS DOCUMENT WAS PRODUCED WITH THE FOLLOWING SECURITY MEASURES: SPECIAL DOCUMENT PAPER, INK SCREENS, WATERMARK, BACKGROUND DESIGNS, HOLOGRAM AND OTHER SECURITY FEATURES NOT LISTED AND DO EXCEED DOCUMENT SECURITY INDUSTRY GUIDELINE

**www.igi.org**

April 11, 2025  
GI Report No 648418499  
POUND BRILLIANT

69 - 69.99	Coral Weight	1.80 CARAT
70 - 74.99	Color Grade	J
75 - 79.99	Clarity Grade	VVS 1
80 - 84.99	Cut Grade	EXCELLENT
85 - 89.99	Depth	62.4%
90 - 94.99	Table	58%
95 - 99.99	Grade	Medium to Slightly Thick (Faceted)
	Culet	Pointed
	Polish	EXCELLENT
	Symmetry	EXCELLENT
	Fluorescence	NONE
	Fluorescence	from 4.00 to 10.00